# CONTROL AND INSTRUMENTATION INDEX 1978

*Entries give details of reference, issue number and page number respectively*


**A/D converters**
8-bit 3.57; CMOS 5.69; single chip DPM 2.30; voltage to frequency 7.133; 12 bit 1.43; 11.43; 8-bit low cost 11.63.

**Accelerometers**
9.103; Charge coupled 3.83; meter 9.99; Piezoelectric 1.59; 10.79; 10.27; Triaxial 9.107; Instrumented golf clubs 11.13; Various 6.19.

**Actuators electric**
3.27; Electro hydraulic 4.9; Syncropak 6.9; E.H.P. 7.107; Linear 7.129; 11.13; for remote position control 9.13; fail safe 10.77; In X-ray collimator 11.25; Review 7.22,23.

**Actuators pneumatic**
2.5; IS device 4.65; with electrical control 7.105.

**Alarm systems**
CMOS 3.83; COSMOS 9.11; Coaxial-MPU-based 3.11; Fire 10.73; Portable fire 8.11; Gas module 9.105; Annunciators 1.24, 53; 2.65; Annunciators audible 1.57; 8.77; Annunciators visual IS 1.57; Annunciators analogue, input 11.59; RiS unimod 3.25; Electronic 9.103; Fire alarm panel 6.63; Twin channel module 7.135; Alarms with TDC 2000 1.28; Comparator/detector IC 6.63; Temperature 10.79; Delta (Rate) 11.61; Various 9.31; 9.105.

**Amplifiers**
Instrumentation 2.61; 5.69; 8.73; Separating 3.22; Logarithmic 3.23; Operational 3.79; Lock in for electro optics 6.67; For IR 7.131; Weighing 7.131; Programmable instrumentation 9.99; Isolation 10.71; Charge 10.75.

**Analogue panel meter**
Electronic 8.81.

**Analysers**
6.5; Sulphur 5.7; Process general 10.15; $NO_X$ 11.57.

**Analyser Houses**
3.3; Package 3.5.

**Anemometer**
Direct reading 2.59; Probe 2.63; Hot wire 3.5.

**Antistatic materials**
1.57.

**Automatic testing**
1.3,5; 6.7; 9.7.

**Average meter**
1.55.

**Axial lead rectifiers**
3.81.

**Balances**
Top weighing 2.57; Micro 5.65; MPU-controlled checkweigher 5.69.

**Batch controllers**
High speed 3.75; MPU-based 14 ingredients 4.3; Blending 5.63; Scale 6.65; Counter electronic 7.127.

**Batteries**
Research 11.15.

**Boxes**
Swing frames for 2.59; Plastic or die cast 5.61; For dirty, corrosive environments 3.29; BASEEFA approved 1.57; 5.63; Moisture/dust proof 2.63.

**Breadboards**
Patchboards 3.81.

**BS 9000 approval**
Penny & Giles Conductive Plastics 1.5.

**CMOS**
Radiation hardened chips 2.37; Eurocards 3.57; Analog switches 3.81.

**CRT monitors**
Using TV 7.135; Miniature 9.5; Annunciator display 9.103; High resolution 9.107.

**CRT controllers**
LSI 11.41.

**Cable**
3.27; Multiway ribbon 2.59; Identifiers 3.79; Computer-peripheral coax 7.129.

**Cable sleeving**
1.7.

**Calculators**
Hewlett Packard 6.61; Instant replay 10.77; Texas 11.57.

**Calibrators**
3.23; 4.13; Computer controlled 4.65; Delristor original 6.5; Digital thermometer 6.18; Instrumentation portable 6.31, 33; Pneumatic 6.9; Recorder 8.75; Thermometer 7.71; 9.101.

**Calorimeters**
First electronically controlled 8.5.

**Cam systems**
Programmable, electronic replacements for 4.7.

**Camera**
CCD 4.13.

**Capacitors**
For power factor correction 1.67.

**Cases**
Temperature-controlled instruments 7.131.

**Charge measurement**
11.61.

**Chargers**
3.79.

**Chromatographs**
3.75; Acrylonitrile in ambient air 8.75; Computer controlled 5.47; Trace analysers 3.77; Valve for 7.135; Benzene 8.75; TBT 1.67; Detector for 10.73; Liquid 10.73; Gas, MPU-controlled 11.29; Process gas/liquid 9.105.

**Circuit breakers**
Earth leakage 3.29.

**Climate**
Test chamber 6.69.

**Clocks**
Panel mounting 2.63.

**Colour**
Measurement (Tintometer) 8.49.

**Combustion control**
9.9, 71, 73.

**Compressors**
For instrument air 7.129.

**Computer-aided design**
1.65; Of PCBs 5.47.

**Computer bureaux service**
For customising instruments 2.39.

**Computer control**
Interface for supervisory 3.22,23; For coal industry 3.25; Of diesel engine test beds 5.45; Of rapid transit rail system 5.47; Of looms 1.43.

**Computer numerical control**
1.43; MPU-based digital readout for 8.57; Third generation (mini-based) 10.39.

**Computer terminals**
Hand held 5.3.

**Concentration monitoring**
1.55.

**Conductivity measurement**
3.25; 3.79; Acid alkali concentrations 3.79.

**Connectors**
RF 1.67; Thermocouple 1.57; And terminals 3.27.

**Consultants**
4.5; Contract research 4.17,19.

**Contactors**
Vacuum 1.65.

**Contract R & D**
6.13.

**Control and measurement**
Applications book 3.93; Pressure and measurement 4.63; P/I conversion 8.75.

**Controllers**
Remote 4.13; Industrial 4.47; Level indicator/controller 4.67; Programmable 4.67; 5.3; For long dead times 3.25; MPU-based 5.29; 5.47; Sequence 5.65; 8.77; Work measurement 6.53; Temperature 6.61; 6.67; Maximum demand 7.131; Motor 7.131; Pneumatic 8.79; Proportional joystick 10.75; Machine 10.79; Step 6.67; 9.103; 10.9; Range of 11.57.

**Control systems**
Sulzer AV5 5.31; GEC (MPU-based, multi loop) 6.2,3; 6.45; MPU-based and IS 6,45; 7.115; Mini-based Frigate weapon control 6.47; Small, programmable 6.61; PCP 10.51; RPMC 10.55,57; Programmable stepper for sequence control 6.69; Taylor 1010 9.85,87; Westinghouse 9.81; MPC-80 7.69; TDC 2000 7.71; PCS 700, Pye Unicam 7.73; 8.42, 43; MOD III 7.73; Real-world-based 8.55; ACCOS II 8.55; 10.59; Westinghouse 8.55; Matric 6000 9.11; Various-Exhibition 9.31; Trends 7.41; Review 7.22,23.

**Control instrumentation**
3.25; Modular units 3.29; CMOS Eurocards 3.57; Controller/indicator 3.75.

**Control room furniture**
2.61; Control desk 7.135; Consoles 8.77; 8.81; Control panels 3.29.

**Converters**
Frequency/voltage 3.75; Voltage to frequency 11.63; Synchro/digital 10.75; Two wire CMT signal 10.79; Angular 7.135; Corrosion monitoring multi-channel 4.61.

**Counters**
7.133; 8.79; 10.24,25; Multi 4.13; IS 5.65; Differential 8.73; Electronic 6.69; Counter controller 1.53; Batch counters 1.57,61; 2.57; 9.99; Up/down 9.101; 520 MHz 10.75; Quad decade 10.79; Frequency 6.67; Signal conditioning for 4.61.

**Couplings**
Flexible 7.131.

**Courses**
Loughborough-engineering 3.5; MPU training 3.63,65,67; 4.49; Self study 5.47; Hydraulic system maintenance 6.7; Use of the MPU 7.73; Open University-instrumentation 8.7; Sira—moisture 8.7; Honeywell instrument mechanics 8.7; Viscosity measurement 9.7; Ion-selective electrode technology 9.7; MPUs 9.81.

**Data acquisition and transmission**
3.39,41,43; 9.107; 10.75; Micro-based 3.57; By PO line 5.45; Two chip 3.57; Single chip 1.41; Low-cost calculator-based 4.49; Real time systems 3.93; Multipoint single coax data highway 4.47; Multiplexer, analogue 5.63; VDC book 6.7; Intelligent 7.113; Isolated 7.113; High speed 7.135; For LSI-11/2 8.55; For LSI 11/2, PDP-11/03 10.51; Modular 8.73; For Intel/National 11.43; Input threshold monitoring 11.65; Various 6.19.

**Data logger**
1.55; 3.23; 3.39,41; 4.9; 6.5; 8.73; 9.89,99; 10.33; 10.77; 11.49; Portable 3.36,37; 11.51; MPU-based for reactor vessels 4.49; Temperature 6.18; MPU-controlled 8.57; Various 6.19.

**Decelerators**
Linear 7.131.

**Density measurement**
Digital 3.77; Cold store 6.13; Gas densitometer 6.65; 8.11; Liquid in-line 1.7; Liquid, insertion 11.65.

**Depth measurement**
By pressure 11.11.

**Desuperheaters**
3.27; With low noise trim 7.103.

**Dew point monitor**
3.81.

**Dictionaries**
Multilingual measurement and control 3.93.

**Digital multimeters**
4.63; 6.7; 7.73; 9.105; 10.77;

10.79; 3½ digit 1.3; 4½ digit 7.127; LCD 7.133; 11.61; Low-cost 8.73; 3.3; Power protected 11.61.
**Digital panel meters**
3.27; 3.79; 8.77; Card mounted 3 digit 4.65; 3-digit module 5.65; Slim 6.67; Self powered 7.127; Autoranging 8.73; Temperature 8.81; Indicators 8.81.
**Digital volt meters**
IEC bus 3.75; MPU-based 4.13; 10.77; 11.7; mV 9.107.
**Dielectric constant measurement**
2.7.
**Disk drives**
Floppies 2.39; For LSI-11, PDP-11 2.39.
**Displacement transducers**
Various 6.19.
**Displays**
For computer controlled plant 5.22; Analogue bar graph solid state 5.26; Plug-in gas discharge 6.63; Colourful 6.67; Visual trend (Alron) 8.11; Gas discharge 9.5; CRT annunciator 9.103; LED 7-Segment 11.65.
**Dissolved oxygen**
1.61; Meter 11.65.
**Distributed control**
2.5; GEC 6.2,3; Technology review 7.22, 23; Accos II 8.55; Micro-based 10.59.
**Disturbance monitor**
2.57.
**Dosimeters**
For CO 5.61.
**Drives**
For stepping motors 4.67; Stepping 9.103; Variable speed, for textile lines 5.7.
**Dynamometers**
10.73.
**Electrodes**
Cleaner for 3.75; pH, Gel filled 1.61; pH, IS 11.59.
**Conservation**
1.35; Maximum demand control 9.9,91; Efficient power generation 7.30,31,33,35; Optimisation excess stack $O_2$ 8.11; Optimisation control 1.55; 2.3; 3.77; Minicomputer-based 7.115.
**Engine testing**
Minicomputer-based 8.7.
**Eurocards**
3.57; 4.13; 8085A-based 8.55.
**Exhibitions**
Testmex '79 3.5; Transducer/Tempcon 6.18,19; Control and Instrumentation (North East) 9.27,29,31; Interflow '78 11.4.
**Fatigue testing**
Computer-based 9.5.
**Feedback elements**
10.79.
**Fibre optics**
4.61; 9.5; 9.103; For temperature measurement 2.30; Scanner 2.59; Engineers kit 2.59; Applications book 3.93; Tee coupler 5.61; HP absolute power transmission measurement 7.71; Attenuation meter 7.131; Silica 8.4; Combustion control 9.9; Fibre optic characterisation 10.75; Plastic fibre 11.65; Instrumentation bus 11.43; Splicing set 11.59; TTL link 11.61.
**Fire detectors**
Cable-Fire Sense 7.71.
**Flame retardant material**
3.81; Differential 6.13.
**Flow computers**
5.63; Digital/MPU-based 7.113.
**Flowmeters**
3.22; Media via orifice plate 4.63; Turbine shielded bearing 1.55; Bearingless on $CS_2$ 2.7; MPU-based 9.83; Differential pressure 2.21; with linear output 2.18; Electromagnetic 3.81; 9.105; Magnetic 1.59; 2.5; 8.77; Liquid flow rate counter 3.83; Variable area 2.57; Insertion 2.61; 11.57; Liquids & gases 8.81; 2.63; Vortex shedding 3.22; 4.5; 5.5; Viscosity compensation 1.59; In line 4.61; Mass, for flue gases 2.13; Totaliser for 8.79; Air flow sensor 4.67; For viscous fluids 2.13; Ultrasonic 2.25; 2.31; Doppler 2.57; 11.57; Coolant monitoring 8.75; Miniature 7.127; Armoured 7.135; Baldock flow lab 8.47; Using fibre optics 11.5; Turbine 9.105; μPVC 9.107;. VΔP 10.7; Gilflow 9.9; Pulse counting 11.63; Effluent by channel level 11.63; Monitor for 3.83; Interflow 8.5; 11.4; Various—exhibition 9.27,28,29.
**Flow switches**
3.22; 11.59; Solid state 2.31.
**Fluorimeter**
7.129.
**Fluxmeters**
3.77.
**Freezing**
Shafts and rotors 10.11.
**Frequency response analyser**
6.69.
**Front panel components**
1.5.
**Fuel consumption metering**
2.7.
**Galvanometers**
Safety 6.63.
**Gas analysis**
8.79; Dry test meter 3.79; Organic vapour 4.63; Continuous chlorine 4.67; Oxygen 7.129, 3.2; Cell for 5.67; Portable 8.7; 10.7; Zirconia $O_2$ analysers 10.37; IR 1.59; 3.29; 11.59; Multi probe, under MPU control 5.47; Dissolved $H_2$ 10.71; Chromatography, MPU controlled 11.29; $NO_X$ 11.57.
**Gas detection**
1.57,61; 4.9; 5.67; 6.67; Portable monitor 5.69; $H_2S$ monitor 3.75; In boiler houses 5.63; $N_2$ Measurement 6.13; Chlorine 1.61; CO alarm 6.63; Methane monitor 8.79; Ammonia 1.67; Alarm module 9.105; $SO_2$ portable 2.59; Portable 7.131; Hydrazine monitor 10.77; $CO_2$ monitor 11.63.
**Gears**
3.29; Service 9.105.
**Hazardous areas and Intrinsic Safety**
Reed relays 2.11; Zener barriers 2.13; 2.30; 8.81; 10.7; Safety barriers and power supplies 3.22; Opto isolation with PCS 8.42,43; Differential pressure transducer for 3.23; IS transmitters 9.107; Pressurise and purge 2.30; Proximity switches 3.25; Hydraulic equipment 3.27; BS 5345 part 4 3.93; Comms/alarm 9.105; IS power supplies 10.29,31; pH electrode 11.59.
**Health & Safety**
1.65.
**Height gauge**
11.65.
**History**
Development of the industry over the last 20 years 7.8, 9,13,14,15, 17.
**Hopper meter**
NCB 7.131.
**Humidity**
Controller 1.53; Hygrometer, digital 2.59; MPU-based analyser 11.57; Measuring 9.103.
**Hydraulics**
Assembly tables 3.7; Cylinders 1.59; Servohydraulic testing 1.3; Monitoring/testing 7.135; Flange mounting modular 1.59; IS servovalves 3.27; Troubleshooting cards 5.65; for safe control 9.55, 57; Remote control of 11.65.
**ICs**
Remote controllers 4.13; Fractional hp motor driver 3.9; High speed bipolar logic arrays 4.49; Multiplier/divider 1.53; Customised 8.7; Maths function modules 1.53; First four-in bipolar wafers 5.2; Schizophrenic CMOS 8.55; Clock generator for 16-bit MPU 10.49; Counter/decoder/driver 10.51; Various 4.13.
**IEEE bus**
4.51, 53; 9.81.
**I/O**
1.41; Isolated digital output boards for SBCs 4.47; DMA I/O bus for DEC PDP-11s 4.47; SBC analogue output for CA/(LSI 2,3, 4) 6.45; Video controller (PDP-8/A) 6.45; Intel PIAs 6.47; For MPUs 6.47; Low level analogue input card for LSI-11/2 8.57; Optically coupled 8.57; Analogue I/O Z80 9.81; Asynchronous comms, element 9.83; D.c./d.c. converter 9.99; Analogue interface—high isolation 10.49.
**Ignition modules**
Electronic 3.5.
**Image analysis**
Production line TV scanning 4.35.
**Information handling**
1.5.
**Injection moulding**
2.7.
**Instrument air**
9.99.
**Instrumentation contractors**
3.22; 6.31.
**Insulation**
Tester 5.69.
**Interface detection**
1.53.
**Interference absorption**
10.73.
**Keyboards**
9.83; Encoder for 1.41; Hexadecimal 11.41.
**LEDs**
For bright sunlight 3.79; 5.61; For distance reading 4.65; Bright 6.61; 10.7; Infra-red 6.69.
**LPG plant**
Instrumentation for 2.9.
**Lamps**
Subminiature 1.67.
**Lasers**
In metrology 4.30,31,33.
**Leak Detection**
1.59; 2.65; 8.81; Spray 9.103; Pocket 9.105.
**Level gauging**
3.22; 3.47; Capacitive controls 9.107; BiMos op amp sensor 6.11; In truck radiators 1.7; Tank miniature 5.63; Switches 1.59,61; Liquid 8.73,77; 11.15; Sonic 1.65; Ultrasonic 2.63; 7.131,133; Indication 6.63; Metric, for tanks 2.59; Solids 9.99; Fluid 9.101; Monitor 9.17,19.
**Level switches**
Field effect 3.22; PFM 6.63; Low 3.83; Safe 7.135; 9.103; Conductive 11.59; Ultrasonic 11.61.
**Lightning protection**
3.83; 10.11.
**Limit switches**
1.61; 3.27; 6.67.
**Load cells**
1.67; 3.23; 5.65; 9.103; 10.27; Flat 5.65; 8.13; 9.99; MPU-based 3.23; 10.24,25; Electrohydraulic 1.53; Moisture resistant strain gauge type 3.81; Pneumatic 1.9; For retail scales 1.59; For SPM load monitoring 1.9; Instrumentation for 5.5; 5.61; Bench scale 7.73; Compression in stainless 8.77; Safe 9.99; Crane loading button 11.59; Various 6.19.
**Load detectors**
Electronic 4.61; Fire sensing bolts 5.69.
**Logic**
Schottky 11.59.
**Logic analysers**
Digital synthesis 3.27; 6.67; Word recogniser 3.79; Probes 6.65; Bus system analysers 8.57.
**Machine tools**
Optical alignment 11.22.
**Machine tool readouts**
4.9; 8.57.
**Magnetic tape controller**
3.55; Subsystems 7.115; Tape transport 11.65.
**Maintenance**
Process control systems 6.26,27; Mobile instrument workshop 1.57.
**Manometers**
Micro 9.107.
**Megohmeters**
4.13.
**Memory**
2.37; 4.13; ROM 3.55; 7.113; PROM 11.63; 6.45; EAROM 3.55; Dynamic RAM 5.47; 3.55; 6.47; 5.45; 10.51; 64k RAM 9.7; 10.7; Static RAM 5.45; 6.45; Access for LSI-11 2.37; 32k add-on for Nova Three 5.47; Add-on for PET 11.43; 65k CCD 1.43; CCD semiconductor serial 3.57; Static semiconductor 1.43; For recorders 10.71; CMOS driver 8.55; 4k TTL isoplanar 3.55; Bubble 3.57; 11.41; PROM programmer 1.41; 10.51; Cache buffer for PDP-11 3.57; 4.47; Intelligent dynamic RAM controller 9.83.
**Meters**
Hermetically sealed 3.27; Dissolved oxygen 3.79; 11.65; Pressure 10.71; Ohms, safety 11.57.
**Meterprovers**
Consortium 4.5.
**Metering pumps**
Seal-less 8.73.

**Micrometers**
Digital 4.26,27; 5.3; 11.13.
**Microscopy**
Automatic, polarising 5.5.
**Microswitch**
3.25,27; Pneumatic 5.67; Explosion proof 1.61.
**Mimic panels**
1.57.
**Moisture sensors**
Powder 10.73.
**Motion detectors**
Container line 3.77.
**Motors**
Servomotor/tachogenerator 1.61; D.c. brushless 1.2; D.c. servo 3.77; 4.63; D.c. torque 1.61; D.c. constant torque 4.7; Micromotors 1.67; 2.9; Small d.c. motors 3.29; Stepping 3.29; Stepping micro 3.81; And gearboxes 3.29; Shaded pole reversing 5.9; Service 9.105.
**Motor control**
1.59; 2.65; 8.75; Variable speed 5.7; Speed controller 6.65; Stepping 10.9.
**Moulding materials**
Plastic 3.29.
**MPUs**
1.41,43; 2.37; 3.63,65,67; High speed AMI series 2: 10.51; S2000A 11.43; Microflame 4.13; 11.7; Bit slice 9.81; 16-bit 10.49; ITT Guild 6.5; RCA COSMAC 6.47; 11.43; Intel 8086, 8022 7.69; NEC, 8080 compatible 11.41; National 4-bit slice MPU 7.115; Boards for 9.81; In load cells 10.24,25; Board testers for 1.65.
**MPUs, clocks for**
1.41; Clock generator IC 10.49.
**MPUs, development systems for**
2.33,37; 9.89; Gemini 3.25; Universal 3.57; Mostek 4.13; Texas 4.13; 10.49; Motorola 4.47; 10.49; Intellec 4.47; 7.69; Laboratory for 10.49; Cross assembler 6801, 11.43; Z80A emulation 11.41; For hire 10.7,51; Various 8.59,61, 62,63.
**MPU evaluation, systems for**
2.33; 3.29; 9.81; Z80A 11.41.
**MPUs, peripherals for**
High temperature versions 3.55; I/O module 6.47; PIAs 9.81; RCA Hardware multiply/divide 7.113; Requirements 8.59,61; A synchronous communications element 9.83; Programme loader 10.49; Interface adaptors 11.43; File/Buffer chip 11.43.
**Microcomputers**
1.41; 2.5; 2.37; 2.39; 4.49; 7.113; 9.81; Books 3.5; Data acquisition for LSI 11/2 8.55; Analogue input for 2.39; 3.57; Single chip 3.55; 4.13; 4.49; 4.47; Single board for ship monitoring 3.55; Ferranti military 9.4; GEC military 9.4; Limrose 5.3; Intel 5.45; 7.69; 7.113; 8.55; PET 6.47; CMOS-based 6.47; MOS-based 7.115; Blaze and Spark 11.7; PCS 180 6.47; Z-80-based 10.51; 11.43; Siemens BGT 210 7.115; PROCOM II 8.55; 11.7; M6800-based 8.57; SBC 8.55; 9.83; 10.51; COPs 10.4; Two chip 3.57; Low cost DIY 4.47; Consultancy 10.61.
**Minicomputers**
Modcomp 4.49; 11.43; Hewlett-Packard (SOS) 10.5; Multiple micro 10.5; For CNC 10.39; CA 9.83; Digico M16E 5.3; Prime 350 5.45; Redifon distributed processors 6.45; Process 1.45; 2.42; Multiprocessor-Demos 8.57; ICL's 1500 7.115; Level 6 2.37; 8.57; 9.83; Interdata 16-bit 1.43; Desk top HP 9.5; HP 3000 Series 1.65; CA Naked mini 2.37; Argus for process control 4.49; VS mainframes book 10.49; Mass storage controller for PDP-11 7.115; Weather monitoring (DEC) 9.4; For coal mine control 2.39; For LT underground power control 2.39; Multi-user for on-line 3.57; Monitor 2.46.
**Mobility meters**
7.133.
**Noise discriminator**
2.33.
**Noise monitoring**
2.5; 2.63; 3.29; 6.67.
**Non-destructive testing**
Computer controlled 2.5; Drill pipe inspection 4.65; Ultrasonic 10.71; X-ray, for nuclear fuel elements 5.37,39.
**Object sensors**
Reflective 3.77.
**Oil content monitor**
3.83; 8.73.
**Op amplifier**
6.61; 6.69; 7.131; 8.73.
**Operators-valve**
Interchangeable 6.63.
**Optical encoders**
4.13.
**Optical gratings**
4.9.
**Optical monitors**
10.79.
**Opto isolators**
1.67; 3.25; 4.67; 6.69; Intrinsic Safety with PCS 700 8.42,43.
**Oscillators**
Clock 11.65.
**Oscillograph**
Liquid ink 11.57.
**Oscilloscopes**
1.3; 2.57; 2.59; Recording 3.23; 12/15 MHz 10.5; 10/15 MHz 10.71; 35MHz 9.101; 100MHz 4.13; 275MHz 4.63; Flameproof 4.61; With IEEE interface 5.67; With Digital measurements 11.5; Storage 11.5; Selection of 11.49.
**Overvoltage protection**
1.57.
**PCBs**
9.13; Pneumatic 9.50,51,53; 11.15; Strain relief bushing 10.77.
**Particle size analysis**
1.53; Laser-based 6.63; In-stack monitoring 7.127.
**pH meters**
3.22; 3.25; 6.61; 7.133,135; 9.107; Portable, digital 5.69; Probe for 8.73; IS Electrode 11.59.
**Photoelectrics**
1.57; 2.65; IR sensors 10.75; Self scanning array 3.75; Position sensor 5.67; Low temperature 9.101; Photodiode 10.71; Pulse modulated 1.11; Waterproof 9.105; In tool setting 11.22.
**Pipe detectors**
Battery operated 4.61.
**Plant status monitor**
9.101.
**Plotters**
Digital XY flatbed 4.67; Intelligent 3.83; 9.7; Printer/plotter 6.65.
**Plug board**
2.65.
**Pneumatic components**
Logic 9.11; 10.77; Silencer 1.53; Actuators 3.27; Heavy duty filters 1.53; E/P transducers 2.57; Line pressurised indicator 2.59; Connectors 5.67; Limit switch 11.57; Push-in fittings 10.77; General 9.50,51,53; 11.15; Review 7.22, 23.
**Polariscopes**
IR 10.73.
**Position measurement and control**
Readout digital 6.63; 10.75; EHPs 7.107; Motor/tachogenerator 7.135; CCTV indicator 10.77.
**Potentiometer**
3.27; 5.61; BASEEFA certified 2.61; Conductive plastic 6.61.
**Power failure returns**
4.63.
**Power supplies**
1.9; 3.77; Switching 3.25; 3.27; 4.13; 8.79; Miniature switching 4.65; IS 10.29,31; Static uninterruptible 1.9; Miniature for hydraulic cylinders 6.61; Inverters 1.13; Stand-by 11.9; Noise suppression 11.41.
**Pressure measurement**
9.101; Bore-hole sensor 3.77; Transducers gauge or differential 5.65; Backward gauge type 5.69; IS 5.69; Gauges 1.55; For divers 5.7; Full stream 3.83; Manometers 1.7; Pneumatic transmitters 8.81; For boiler level 1.33; Variable reluctance 5.69; Dual pressure sensor 1.57; Scanning valve transducer 1.57; Solid state 2.31; Digital indicator 2.61; Switches 3.23; Wafer thin sensor 2.65; Transducer handbook 3.93; Transmitters 5.67; Deadweight tester 5.69; Mesonix 9.81; Various 6.19.
**Pressure switches**
4.65; 5.61; 9.101; Differential 7.133; Relief valve 8.79; For shut down 9.99; Various 6.19.
**Printers**
6.67; ASR 1.43; Hand held TTY 2.39; Non impact 2.65; Data recording 3.23; Printer/plotter 6.65.
**Process analysers**
Various 4.3.
**Process control systems**
Electronic analogue 2.5; Industrial MPU-based 3.25; 2.37; For quasistatic processes 4.61; Computer-based 3.25; Electronic control for glass toughening 3.7; GEC 6.2,3; PCS 3.25; 4.3; MPU-based weighing 3.25; Performance monitoring 3.25; Electronic 3.45; DDC 3.47; Single chip microcomputer for 3.55; For coal preparation 3.55; SADAC and SADACOLOUR 4.37; RPMC 9.83; 10.55,57; PCP 8.15; 11.43; Software, graphics 11.41; Programmable 9.105; Maintenance and installation 6.26, 27.
**Process displays**
3.23; On colour VDU 2.31; Large digital 3.9; Strip indicators 3.23; 3.25; LED 3.27.
**Profession**
7.27.
**Programmable controllers**
1.45; 3.29; 5.45; Additions to MOD III 3.3; Developed by Salford University 5.47; Sequence controller display for 1.55; Inhibit module for 2.57; MPU-based and computer supervisory 3.25; Temperature 6.18; For Harwell 6000 series 3.93; Program controller 2.57; Distributed plant management 3.2; Electronic RAM 11.59; Instematic II 11.61.
**Programmers**
PROM and FPLA 11.41.
**Proximity switches**
1.13; 2.63; 3.27; 4.67; Intrinsically Safe 3.25; Sensors 7.129.
**Pulse generators**
5MHz 6.69; 60MHz 11.63; 1000 MHz 10.7; Output cards, programmable 11.41.
**Pumps**
Protection for 8.75.
**Punched tape**
Reader 1.65.
**Pyrometry**
Aircraft engines 3.7; Hand held infra-red 3.22; Various 6.18.
**RMS subsystems**
4.67.
**RTDs**
Platfilm 7.73; Fast response, high accuracy 8.39; Flameproof connections for 9.103; 9.107.
**Ratemeters**
Digital 2.9; Portable 9.101; PAM computer 6.53; Production line monitoring 9.105; Limiter 10.77.
**Ratio**
Monitor 11.57.
**Redox measurement**
3.25.
**Relays**
3.25, 27; DIP 2.63; Pneumatic computing 8.81; Time delay 2.65; Reed, low thermal emf 5.65; High power switching 6.61; Small, time 7.127; DIL reed 7.127; Speed sensing 8.73; Monitor review 7.78,79, 81,83.
**Recorders, chart**
3.22,47,77; 5.63; Galvanograph 1.59; Alternative to 1.65; Event 2.65; Industrial XY 3.11; Carbon equivalent 3.22; Multipoint 3.23; 6.69; Inkless 8.79; Potentiometric 9.99; Chartless 8.81; Fanfold 8.75; Edge printing 4.63; 3 pen potentiometric strip 4.67; Flatbed servocorder 4.67; Humidity 5.7; Flatbed 5.65; XY 6.63; Disposable pens for 7.127; Conversion to fibre tip 8.13; Fast response 10.73; Sprocket for 9.107; With plug in range cards 10.71; Memory for 10.71; With alphanumerics 7.127; Hire of 2.61; Survey 11.34; Monitor 11.37.
**Recorders, magnetic tape**
2.7; 3.23; Cassette 3.23; 10.75; Digital 14 or 28 channel 5.67; Instrumentation 6.65; Technology 9.63,65.
**Recorders UV**
3.23,79; 7.135; 8.79.
**Resistors**
Thin film 1.65; Milliohmeter 6.65.
**Resolvers**
Brushless 2.61.
**Review**
Development of the industry over

the last 20 years 7.8,9,13,14,15,17; Industry responsibilities 7.50,51.
**Runout subtractor**
7.127.
**SCRs**
Hybrid circuits 10.71.
**Safety control systems**
Inert gas blanketing 4.67; Shut-off valve lock 6.63.
**Sampling systems**
Automatic 5.63; Oil 3.5; Sample data controller 3.25; Portable effluent 8.81.
**Screw recess**
2.61.
**Sensors**
Requirements of petrochemical industry 7.41.
**Shaft encoders**
3.13; 3.27; 5.67; Integral with roller bearings 8.9.
**Shock recorder**
6.61.
**Shutdown systems**
Solid state sequence 3.7; valve lock 6.63; pressure sensors 9.99.
**Signal conditioning**
1.55; 9.31; 11.59.
**Signal source**
Programmable 4.65; Code scanners 11.63.
**Silencers**
Spark free 10.73.
**Simulators**
Process 8.79; Computer-based power station 9.9.
**Small companies**
7.54,55.
**Smoke monitors**
1.55; 2.63; 6.61; In line 4.3; Detectors, single chip 2.59; 11.65.
**Sociology**
7.25.
**Software**
For LSI 2 and 3/05 conversion to run on CA Naked Mini 4.49; For Interdata 32-bit minis 1.41; Modular packaged for control systems 4.2; Consultants for process control 5.51; 9.85,87; IAS for PDP-11 interactive users 6.47; RTL/2 for DG Nova 7.115; RTL/2 2.37; RTL/2 for micros 10.51; FORTRAN 80 7.69; Resident MPL compiler 10.49; Microassembler for bipolar MPUs 8.57; Cross assembler 9.81; For process control with graphics 11.41; Control system RPMC 9.83; 10.55,57; PCP 8.15; 10.51; Operating systems 9.83; High level languages vs low 6.49,51; 8.15; Houses 7.113; NRDC support for CAP-CPP 7.113; Cobol 1.41.
**Solenoids**
2.65; 5.67.
**Solids content monitors**
Transmitter 5.65.
**Sound level meters**
1.55; 6.69.
**Spectrometer**
X-ray fluorescence 8.5; He mass 11.15.
**Spectrophotometers**
6.67; With $N_2O$ pressure regulator 4.63; AA, MPU-controlled 1.55; 4.63; Remote colour terminal 10.77.
**Spectroradiometers**
10.73.
**Speed measurement**
Surface speed 1.57; Speed controller 7.129; Sensing relay 8.73; Controller/monitor 8.77.
**Standards**
7.43,45.
**Stand-by power**
D.c. 4.61; NiCd Battery 7.73; Static uninterruptible supplies 9.67,69.
**Starters**
For slip ring motor 3.81.
**Strain gauges**
6.9; Digital indicator 4.65; Crossed and rosette 6.67; Housings for 1.53; Amplifiers for 1.55; Self actuating recorder 8.77; Precision 3.23; Indicator 9.107; Universal 8.81; 9.99; Monitor golf clubs 11.13; Various (Transducer '78) 6.19.
**Surface detection**
Harwell 7.71.
**Surge generators**
Programmer for 4.61.
**Sweep generators**
10.5.
**Switches diaphragm**
4.65; Pressure 7.127; Switches push button, Proofed 10.71; Keyboard, sealed 11.63.
**Switches, reed**
For data logger input 5.7; latching 7.127.
**Switches, rotary**
2.57; Limit 10.75; Slide, sub miniature 2.63; Thumbwheel 3.27.
**TDI monitor**
4.61.
**Tachometers**
2.57; 7.129; 8.79; Flameproof transducer 5.63; Low speed 8.79; Optical encoder 5.67; Portable 2.63.
**Tanker loading**
2.5.
**Technology**
7.8,9,13,14,15,17,22,23.
**Telemetry**
3.75; 6.9; Serck multiple micro 8.7.
**Temperature control**
2.65; 3.25; 3.77; 4.9; 8.22; 8.23; 8.79; 9.105; 10.73; Digital 4.63; 11.59; Programmer 1.57; 4.61; Controller/alarm 3.83; For plastics processing 5.61; Of rotary drying kiln 1.13; 2.13; 3.11; Indicator and controller 3.22; Programming 8.77; 10.79; 1kW 3.81; Various 6.18; 9.29; 11.61; 11.63.
**Temperature monitoring**
8.75; 9.81; 9.103; Of stockpiles and tips 2.13; By fibre optics 2.30; Digital temperature indicator 6.63; In transit 7.127; Rate of change monitoring 8.27,29; Various 6.18; 9.29.
**Temperature sensors**
3.77; 9.29; Surface sensor 5.61; Indicating strips 1.9; Thin film 5.67; Thermocouples 1.61; Scanner for 1.59; IC, −55 to 150°C linear 2.3; Platinum resistance 3.81; Platfilm 1.5; RTD simulator 5.67; Thermionic specific detector 6.5; Source 9.101; Various 6.18.
**Temperature switches**
3.22; 7.129; Solid state 1.57.
**Terminals**
DIN rail mounting 1.67; Video 4.13; Intelligent VDU 6.45; Colour graphics 8.55; 9.7; PDP-11 compatible 8.57; MPU military 9.4.
**Test instrumentation**
3.27.
**Thermesthesiometer**
3.22.
**Thermocouple**
Ice point reference for 4.65; High temperature 7.135; Cold junction compensation 8.35,37; For overheat protection 8.77; Chopper for 9.101; Flameproof connections for 9.103; Probe kit 11.7; Reference 11.59; Selection 8.31; 10.13; Tempcon 6.18.
**Thermometers**
3.22; 3.27; 7.129; 7.133; Hand held, digital 1.53; 2.57; 4.61; 4.65; 5.63; 5.67; Digital portable indicators 4.63; 7.135; 10.73; Vapour pressure 1.53; Plastics 4.67; Panel 8.81; Dial 1.61; 5.61; Contact 2.59; 2.61; 6.61; 9.107; PRT kit 2.65; Portable electronic 3.7; 3.75; Portable Analogue 5.61; Panel mounting 3.79; Non contact, hand held 5.61; Differential thermal analyser 5.69; Quartz digital 6.65; Fluke 4th order fit 7.71; Various 6.18; 9.29.
**Thermostats**
3.22; Electronic 1.59; Bi metal materials 3.29.
**Thickness gauges**
3.29; 6.35,37; Ultrasonic 1.7; Magnetic 1.5; Coating type 9.103; Monitor survey 1.15.
**Thyristor current detectors**
3.81.
**Timers**
1.67; 3.25; Interval 5.65; Elapsed time 6.63; 9.99; Electronic 3.79; 5.63; 5.65; 6.69; Switches 10.71; With remote potentiometer 4.63; Pneumatic 5.69; Digital set point for ISSC type 4.65; Plug-in 1.59; Plug in cycling 8.79; Digital 5.69; Timing relays 5.69; Programmer 10.79; Quad timer chip 11.65; Process 11.61; Process monitor survey 5.13.
**Timer counters**
3.25; 5-digit 1.61; 5-digit 35MHz 3.23; Universal 9.107.
**Totalisers**
Four channel 6.65.
**Toxicity monitor**
2.61.
**Transducers**
3.23; Pressure 3.9; 4.61; 8.77; Differential pressure 3.22; 8.75; 7.129,131; 10.77; IS 3.77; 7.133; For confined spaces 3.81; Long stroke displacement 9.107; Liquid density 4.9; Rigidity 10.11; Strain 9.99; Positional 3.81; D.c. to d.c. 4.63; Ultrasonic piezoelectric 6.65; Angular position 8.75; Digitiser 10.79; Various at C&I Ex 9.27.
**Transformers**
Mains, miniature 2.63; D.c. 3.77.
**Transient monitoring**
2.63; Recorder coupler 8.75.
**Transistor**
Power 1.67.
**Transmission**
Contactless for moving machine parameters 4.3; Analogue 11.9.
**Transmitters**
3.23; 6.65,69; 8.77; Chemically compatible pressure 3.79; Pulse photoelectric 2.61; Pneumatic 3.22; 8.81; Pressure 3.23; 10.79; Strain gauge pressure 8.7; Liquid density 3.23; 7.129; Strain gauge electronic 3.25; 4.65; Two wire 4.67; Larger flow 9.107; IS 9.107; Three valve manifold 7.129; Electronic d.p. 8.81; Vibrating wire d.p. 11.5; Analogue circuit 11.9; Pulse duration 11.57.
**Tubing**
3.29.
**Turbidimeter**
9.103.
**Turbine meter systems**
4.65.
**Vacuum gauges**
2.59; Ionisation 11.61.
**Valves, control**
3.27; 7.129; 9.101; For sour gas 1.59; Torque limitation for motorised 8.9; Counterbalance flow control 7.133; Automatic positioning on power failure 1.55; Safety shut-off 6.63; Signalling fluidically for 2.65; Fine adjustment 3.75; Rotary hand lever 3.75; Panel mounting needle 3.75; Plastic 5.63; Globe 5.67; 7.133; Computing, noise from 5.67; Camflex II and Sigma F 8.13 Quarter turn 7.105; Selection of 7.92,93,95,97.
**Valves, hydraulic**
8.79; Multidirectional 1.55,61; CETOP 6-32mm 2.5; Solenoid 2.59; Servo 2.59; Directional valve banking system 2.61; Decanting for interface detection 3.75; Miniature 3.83; Electro hydraulic, proportional 5.3.
**Valves, pneumatic**
8.77; Miniature poppet 3.77; Two-stage servo 6.63; Panel mounted 7.135; 1¼–1½ in BSPT 1.57; ISO spool valves, ⅛, ¼, ⅜in 2.2; Spool 5 port, 3 position 2.61; Memory 2.65; Five ported modular 5.61; Silencers for 1.67.
**Valves, solenoid**
6.11; 8.77; Interchangeable operators 6.63; ⅛–1½in BSP 1.59; Miniature 3.83.
**Velocity Transducers**
Various 6.19.
**Vibration measurement**
1.53; 2.63; 3.29; 6.15; Transducers for 7.131; Machinery 8.73; Analyser 9.105; Various 6.19.
**Vibration testing**
1.65; Machinery monitoring 8.73.
**Viscometry**
1.53; 3.5; Cont. recording 9.107.
**Viscosity control**
2.59.
**Voltage regulator**
1.5A, 15W 1.57; 5A −24 to −2.2V 2.57.
**Weighers**
Belt weigher alternative, by light sectioning 5.9; MPU-controlled checkweighers 5.69; Nucleonic 8.13; Electronic—mini-based 8.57; Electronic 9.103; Supermodule 10.11; MPU-based 10.24,25; Digital 10.75; Rail wagons 11.11; Legislation 10.13.
**Weigh platforms**
3.23.
**Weight indicators**
3.23; Digital 5.63.